



TRUSSING High Load 2012

LITEC High Load Truss Árlista 2012

Érvényes: 2012. február 1-től (az árváltoztatás jogát fenntartjuk)

Az árak EURO-ban értendők és nem tartalmazzák az ÁFA-t.



TRUSSING

High Load 2012

High Load Series - FL52

Flat Truss

52cm side

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

CODE	STRAIGHTS	
FL52033V	HL 52 cm. ladder - cm. 33 truss	143,21
FL52035V	HL 52 cm. ladder - cm. 35 truss	143,93
FL52047V	HL 52 cm. ladder - cm. 47 truss	154,61
FL52086V	HL 52 cm. ladder - cm. 86 truss	176,70
FL52137V	HL 52 cm. ladder - cm. 137 truss	195,23
FL52186V	HL 52 cm. ladder - cm. 186 truss	257,21

High Load Series - FL52

CODE	STRAIGHTS WITH CANOPY RAIL	
FL52035R	HL 52 cm. ladder - cm. 35 truss with rail	164,59
FL52047R	HL 52 cm. ladder - cm. 47 truss with rail	167,44
FL52086R	HL 52 cm. ladder - cm. 86 truss with rail	192,38
FL52186R	HL 52 cm. ladder - cm. 186 truss with rail	262,91

High Load Series - FL52

CODE	CONNECTIONS	
FL52CS04	4 ways fork connection system	81,23
FL52CS04RT	4 ways fork connection system with rail	115,43
KHLF	Female fork connector complete	22,09
KHLM	Male fork connector complete	22,09
KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
KHLD	M20 screw nut + conical spring washer	2,49
KHLB	M20 screw bolt + conical spring washer	3,21
KHL180A	180° double fork aluminium connector	32,78
KHL180S	180° double fork steel connector	29,21
KHL90RA	90° double fork aluminium connector, right	28,50
KHL90RS	90° double fork steel connector, right	29,93
KHL90LA	90° double fork aluminium connector, left	28,50
KHL90LS	90° double fork steel connector, left	29,93

High Load Series - FL52

CODE	ACCESSORIES	
RAH282M8	Diagonal brace w/clamps - cm. 186x186 CS frame	115,43
RAH250M6	Diagonal brace w/clamps - cm. 186x137 CS frame	110,44
RAH223M6	Diagonal brace w/clamps - cm. 186x086 CS frame	106,88
RAH213M5	Diagonal brace w/clamps - cm. 137x137 CS frame	106,88
RAH205M9S	Diagonal brace w/clamps - cm. 186x035 CS frame	115,43
RAH158M8	Diagonal brace w/clamps - cm. 137x035 CS frame	99,75
RAH141M4	Diagonal brace w/clamps - cm. 086x086 frame	99,75
RAH049P	Reinforced arm w/clamps - 49 cm.	91,20
FL52ST	FL52 Transport trolley system for 20 pieces	525,83
C052D	Bar hook for 52 cm. truss	123,26
TZHL01	FL assembly kit	151,76

High Load Series - FL52

CODE	ALUSFERA ACCESSORIES	
FL52CS09ALU	Alusfera 52 peak	1792,65
FL52039M7R	HL 52 cm. ladder - cm. 39,7truss	200,21
KHL180AL110R	180° double fork aluminium - L=110mm R	88,35



TRUSSING

High Load 2012

High Load Series - FL76

Flat Truss

76cm side

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

CODE STRAIGHTS

CODE	STRAIGHTS	
FL76047V	HL 76 cm. ladder - cm. 47 truss	207,34
FL76059V	HL 76 cm. ladder - cm. 59 truss	218,74
FL76086V	HL 76 cm. ladder - cm. 86 truss	262,91
FL76100V	HL 76 cm. ladder - cm. 100 truss	262,91
FL76186V	HL 76 cm. ladder - cm. 186 truss	305,66
FL76200V	HL 76 cm. ladder - cm. 200 truss	294,98
FL76300V	HL 76 cm. ladder - cm. 300 truss	389,03

High Load Series - FL76

CODE STRAIGHTS WITH CANOPY RAIL

CODE	STRAIGHTS WITH CANOPY RAIL	
FL76047R	HL 76 cm. ladder - cm. 47 truss with rail	214,46
FL76086R	HL 76 cm. ladder - cm. 86 truss with rail	267,19
FL76100R	HL 76 cm. ladder - cm. 100 truss with rail	267,19
FL76186R	HL 76 cm. ladder - cm. 186 truss with rail	329,18
FL76200R	HL 76 cm. ladder - cm. 200 truss with rail	317,06
FL76300R	HL 76 cm. ladder - cm. 300 truss with rail	409,69
FL76111RHC	HL 76 Front/rear curved section with rail	292,13

High Load Series - FL76

CODE CONNECTIONS

CODE	CONNECTIONS	
FL76CS04	4 ways fork connection system	86,21
FL76CS04R	4 ways fork connection system w/canopy rail	121,84
KHLF	Female fork connector complete	22,09
KHLM	Male fork connector complete	22,09
KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
KHLD	M20 screw nut + conical spring washer	2,49
KHLB	M20 screw bolt + conical spring washer	3,21
KHLG	M20 Lifting Eye	9,26

High Load Series - FL76

CODE ACCESSORIES

CODE	ACCESSORIES	
RAH352M7	Diagonal brace w/clamps - cm. 300x200 frame	127,54
RAH311M9	Diagonal brace w/clamps - cm. 300x100 frame	116,85
RAH272M5	Diagonal brace w/clamps - cm. 200x200 frame	113,29
RAH191M4	Diagonal brace w/clamps - cm. 047x200 frame	105,45
RAH380	Diagonal brace w/clamps - cm. 300x200 CS frame	131,10
RAH302M6	Diagonal brace w/clamps - cm. 200x200 CS frame	116,85
RAH242M5	Diagonal brace w/clamps - cm. 200x100 CS frame	109,73
RAH161M2	Diagonal brace w/clamps - cm. 100x100 CS frame	101,18
FL76ST	FL76 transport trolley system for 20 pieces	581,40
TZHL01	FL assembly kit	151,76



TRUSSING

High Load 2012

High Load Series - FL76

CODE	ROOF ACCESSORIES	
RAL200	4mm aluminium pipe - 200 cm long	32,78
RAL047	4mm aluminium pipe - 47 cm long	11,40
RAF200	Reinforced tube with forks - 200 cm long	79,80
RAF047	Reinforced tube with forks - 47 cm long	61,99
HSC0100047W	PVC cover sheet white, up to 47 cm. width, per meter	41,33
HSC0100200W	PVC cover sheet white, from 48 to 200 cm. width, per meter	56,29
HSC0100300W	PVC cover sheet white, from 201 to 300 cm. width, per meter	69,11
HSC0100400W	PVC cover sheet white, from 301 to 400 cm. width, per meter	92,63
RGBR23502G	Belt ratchet - Ring - 2 ton. - 35mm.- EWL 2m	13,54
HSCTS	PVC pocket for cover sheet 35/50 cm. wide	27,08
HSCTM	PVC pocket for cover sheet 150/210 cm. wide	35,63
HSCTL	PVC pocket for cover sheet 211/300 cm. wide	42,75
HSCTX	PVC pocket for cover sheet 301/400 cm. wide	62,70

High Load Series - FL76

CODE	ALUSFERA ACCESSORIES	
FL76CS09ALU	Alusfera 76 peak	1863,19
FL76R-ALU	HL 76 cm. ladder - Alusfera 76 gate	408,26
KHL180AL149R	Alusfera 76 spacer A	71,96

High Load Series - FL76

ALUSFERA CANOPY

**Cover sheet and accessories are available on demand.
Please contact us for any information.**



TRUSSING

High Load 2012

High Load Series - FL105

Flat Truss

105cm side

Top tube 60x5mm
Bottom tube 50x4mm
Diagonal 50x4mm
Fork connection

CODE STRAIGHTS

FL105045V	HL 105 cm. ladder - cm. 45 truss /gate	255,79
FL105086V	HL 105 cm. ladder - cm. 86 truss/gate	290,70
FL105186V	HL 105 cm. ladder - cm. 186 truss	408,26

High Load Series - FL105

CODE CONNECTIONS

FL105CS04	HL 105 - 4 ways fork connection system	92,63
KHLF	Female fork connector complete	22,09
KHLM	Male fork connector complete	22,09
KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
KHLD	M20 screw nut + conical spring washer	2,49
KHLB	M20 screw bolt + conical spring washer	3,21
KHLG	M20 Lifting Eye	9,26

High Load Series - FL105

CODE ACCESSORIES

RAH282M8	Diagonal brace w/clamps - cm. 186x186 CS frame	115,43
RAH223M6	Diagonal brace w/clamps - cm. 186x086 CS frame	106,88
RAH141M4	Diagonal brace w/clamps - cm. 086x086 frame	99,75
TZHL01	FL assembly kit	151,76

High Load Series - FL105

CODE ROOF ACCESSORIES

**Cover sheet and accessories are available on demand.
Please contact us for any information.**



TRUSSING

High Load 2012

High Load Series - Terrace stand

Flat Truss

8m cantilever

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

STRAIGHTS WITH CANOPY RAIL

FL10075200R	HL truss, 100/75 cm. section, 2 meter long	395,44
FL7550200R	HL truss, 75/50 cm. section, 2 meter long	358,39
FL5035200R	HL truss, 50/35 cm. section, 2 meter long	346,99
FL3520200R	HL truss, 35/20 cm. section, 2 meter long	337,73

**The Terrace stand system is compatible with many scaffold systems.
Please contact us for any information**

High Load Series - Terrace stand

ACCESSORIES

RAH271M6	Diagonal brace w/hook clamps - 200cm. frame	113,29
RAH276M8	Diagonal brace w/hook clamps - 207cm. frame	113,29
RAH317	Diagonal brace w/hook clamps - 257cm. frame	118,99
RAF186	Reinforced tube with forks - 200cm. frame	77,66
RAF193	Reinforced tube with forks - 207cm. frame	77,66
RAF243	Reinforced tube with forks - 257cm. frame	84,08

High Load Series - Terrace stand

CONNECTIONS

C500L	Scaffolding system to fork adaptor	44,18
KHLM	Male fork connector complete	22,09
KHLF	Female fork connector complete	22,09
KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
KHLD	M20 screw nut + conical spring washer	2,49
KHLB	M20 screw bolt + conical spring washer	3,21

High Load Series - Terrace stand

ROOF ACCESSORIES

RAL186	4mm. aluminium tube for PVC pocket - 200cm. frame	31,35
RAL193	4mm. aluminium tube for PVC pocket - 207cm. frame	31,35
RAL243	4mm. aluminium tube for PVC pocket - 257cm. frame	38,48
HSC0100200W	PVC cover sheet white, from 48 to 200 cm. width, per meter	56,29
HSC0100300W	PVC cover sheet white, from 201 to 300 cm. width, per mete	69,11
HSCTM	PVC pocket for cover sheet 150/210 cm. wide	35,63
HSCTL	PVC pocket for cover sheet 211/300 cm. wide	42,75



TRUSSING

High Load 2012

High Load Series - QL40A

Twist resist. Square Truss

40cm side

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

CODE STRAIGHTS

QL40100A	HL 40 cm. square - cm. 100 twist-resistant truss	513,71
QL40130A	HL 40 cm. square - cm. 130 twist-resistant truss	559,31
QL40200A	HL 40 cm. square - cm. 200 twist-resistant truss	755,96
QL40300A	HL 40 cm. square - cm. 300 twist-resistant truss	986,81

High Load Series - QL40A

CODE CONNECTIONS

KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
------	--------------------------------------	------

High Load Series - QL40A

CODE GATES AND ACCESSORIES

FL40035P	HL 40 cm. flat - cm. 35 gate	182,40
FL40049M5P	HL 40 cm. flat - cm. 49,5 gate	232,28
MTC30F	Square frame with bolts for QF40	154,61
C040	Bar hook for 40 cm. truss	86,93

High Load Series - QL52A

Twist resist. Square Truss

52cm side

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

CODE STRAIGHTS

QL52100A	HL 52 cm. square - cm. 100 twist resistant truss	556,46
QL52130A	HL 52 cm. square - cm. 130 twist resistant truss	579,98
QL52200A	HL 52 cm. square - cm. 200 twist-resistant truss	738,86
QL52250A	HL 52 cm. square - cm. 250 twist-resistant truss	855,71
QL52300A	HL 52 cm. square - cm. 300 twist-resistant truss	891,34

High Load Series - QL52A

CODE CONNECTIONS

KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
------	--------------------------------------	------

High Load Series - QL52A

CODE GATES AND ACCESSORIES

FL52066M5P	HL 52 cm. ladder - cm. 66,5 truss with horizontal forks	201,64
FL52047P	HL 52 cm. ladder - cm. 47 truss with horizontal forks	154,61
MTC40F	Square frame with bolts	200,21
C052D	Bar hook for 52 cm. truss	123,26
N QL52X6C	HL 52 - QL52 - 6 ways compact corner	1928,74

High Load Series - QL40A/QL52A

CIRCLES

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.



TRUSSING

High Load 2012

High Load Series - QL76A

Twist resist. Square Truss

76cm side

Main tube 50x4mm
Diagonal 50x3mm
Fork connection

CODE

STRAIGHTS

QL76078A	HL 76 cm. square - cm. 100 twist resistant truss type A	779,48
QL76078AB	HL 76 cm. square - cm. 100 twist resistant truss type B	779,48
QL76200A	HL 76 cm. square - cm. 200 twist resistant truss type A	1348,05
QL76200AB	HL 76 cm. square - cm. 200 twist-resistant truss type B	1348,05

High Load Series - QL76A

CODE

CONNECTIONS

KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
------	--------------------------------------	------

High Load Series - RL76A

Twist Resist. Rectangular

76x52cm side

Main tube 50x4mm
Diagonal 30x3mm
Fork connection

CODE

STRAIGHTS

RL76100A	HL 76x52 cm. Twist resistant rectangular - cm. 100 truss	776,63
RL76200A	HL 76x52 cm. Twist resistant rectangular - cm. 200 truss	974,70
RL76300A	HL 76x52 cm. Twist resistant rectangular - cm. 300 truss	1252,58

High Load Series - RL76

CODE

GATES AND ACCESSORIES

FL76066M5P	HL 76 cm. ladder - cm. 66,5 truss with horizontal forks	215,89
FL76047P	HL 76 cm. ladder - cm. 47 truss with horizontal forks	207,34
MTC40F	Square frame with bolts	200,21
C052D	Bar hook for 52 cm. truss	123,26
RL76TT	Skate for QL52/RL76 Truss (single)	123,98

High Load Series - RL76/RL76A

CONNECTIONS

KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
------	--------------------------------------	------

High Load Series - RL76/RL76A

CIRCLES

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.



TRUSSING

High Load 2012

High Load Series - RL105

Rectangular section

106x67 cm side

Main tube 60x5mm
Diagonals 50x4 e 30x3mm
Fork connection

	CODE	STRAIGHTS	
N	RL105100A	HL 106x67 cm. rectangular - 100 cm. Twist Resistant Truss	954,04
N	RL105200A	HL 106x67 cm. rectangular - 200 cm. Twist Resistant Truss	1320,98
N	RL105300A	HL 106x67 cm. rectangular - 300 cm. Twist Resistant Truss	1651,58

High Load Series - RL105

	CODE	CORNERS and SLEEVE BLOCKS	
N	RL105X4	HL 105 rectangular - 4 ways corner	2297,10
N	MTS52K02	Wheel set for sleeve block - Set of 8 pcs	785,89
N	MTS52R105	RL105 4 ways sleeve block - Maxitower 52	3008,89
N	MTS52R105H	RL105 3 ways w/hoist support sleeve block - Maxitower 52	3375,83
N	MTS52K01	Guy-wires fastening to sleeve block - Set of 4 pcs	301,39

High Load Series - RL105

	CODE	CONNECTIONS and ACCESSORIES	
	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
N	C067RL	Pickup bar RL105	286,43
N	RL105TT	RL 105 skate set - 2 pcs	

High Load Series - PL105

Folding truss

105 cm - working side

Main tube 50,8x4,8mm
Diagonals 50x3mm
Fork connection

	CODE	STRAIGHTS	
N	PL105100	HL 105 folding - cm. 100 truss	656,93
N	PL105120	HL 105 folding - cm. 120 truss	697,54
N	PL105200	HL 105 folding - cm. 200 truss	1057,35
N	PL105240	HL 105 folding - cm. 240 truss	1189,16
N	PL105300	HL 105 folding - cm. 300 truss	1387,24

High Load Series - PL105

	CODE	CORNERS and SLEEVE BLOCKS	
N	PL105X4	HL 105 4 ways corner - w/reinf.kit for PL-RL105	2334,15
N	MTS52K02	Wheel set for sleeve block - Set of 8 pcs	785,89
N	MTS52P105	PL-RL105 4 ways sleeve block - Maxitower 52	3933,71
N	MTS52P105H	PL-RL105 3 ways w/hoist support sleeve block - Maxitower	
N	MTS52K01	Guy-wires fastening to sleeve block - Set of 4 pcs	301,39

High Load Series - PL105

	CODE	CONNECTIONS and ACCESSORIES	
	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
N	C067PL	Pickup bar PL105	
N	PL105TT	PL 105 skate set - 2 pcs	



TRUSSING

High Load 2012

Maxitower Series - Maxitower 40

Max Height 12m

Max Payload 2.300kg.

The system here described is only indicative. Other options are available upon request.

MAXITOWER 40 FOR QL52 TRUSS

	The Maxitower 40 systems for the 52cm truss is composed of:	8249,33
1	MTB40 Aluminium base MT40 complete for QL-QF-QDS conn.	934,09
4	MTF40 MT40 stabilizer with adjustable foot	236,55
1	MTT40F Top for QL40A truss, with 7/8" pulleys	356,96
3	QL40300A HL 40 cm. square - cm. 300 twist-resistant truss	986,81
1	QL40200A HL 40 cm. square - cm. 200 twist-resistant truss	755,96
1	QL40130A HL 40 cm. square - cm. 130 twist-resistant truss	559,31
24	KHLP Cylindrical pin + safety R-clip 3mm.	4,63
1	MTC40G Upper frame MT40, w/ wheels and rings	358,39
1	MTC40D Lower frame MT40, w/ wheels	351,26
2	FL52047P HL 52 cm. ladder - cm. 47 truss with horizontal forks	154,61
1	FL52047HS HL 52 cm. gate - cm. 47 truss - hoist support	606,34

Maxitower Series - Maxitower 40

Max Height 12m

Max Payload 2.300kg.

The system here described is only indicative. Other options are available upon request.

MAXITOWER 40 FOR RL76 TRUSS

	The Maxitower 40 systems for the 76cm truss is composed of:	8436,00
1	MTB40 Aluminium base MT40 complete for QL-QF-QDS conn.	934,09
4	MTF40 MT40 stabilizer with adjustable foot	236,55
1	MTT40F Top for QL40A truss, with 7/8" pulleys	356,96
3	QL40300A HL 40 cm. square - cm. 300 twist-resistant truss	986,81
1	QL40200A HL 40 cm. square - cm. 200 twist-resistant truss	755,96
1	QL40130A HL 40 cm. square - cm. 130 twist-resistant truss	559,31
24	KHLP Cylindrical pin + safety R-clip 3mm.	4,63
1	MTC40G Upper frame MT40, w/ wheels and rings	358,39
1	MTC40D Lower frame MT40, w/ wheels	351,26
2	FL76047P HL 76 cm. ladder - cm. 47 truss with horizontal forks	207,34
1	FL76047HS HL 76 cm. gate - cm. 47 truss - hoist support	687,56

Maxitower Series - Maxitower 40

Max Height 12m

RISING SYSTEM

	MTRS Hoisting system for Maxi Tower up to 12 mt	1221,23
--	---	---------

Maxitower Series - Maxitower 40

OPTIONS

	MTB40E Aluminium base MT40 complete, compact version	919,13
	MTF40E MT40E stabilizer with adjustable foot	262,91

Maxitower Series - Maxitower 40

ACCESSORIES

	FLRS40E-L Inclination system for MT40 tower/Libera 76 - Left	725,33
	FLRS40E-R Inclination system for MT40 tower/Libera 76 - Right	725,33

For Maxitower we suggest the use of electric chain hoists. Further details included in the Rigging price list.



TRUSSING

High Load 2012

Maxitower Series - Maxitower 52

Max Height 15m
Max Payload 3.000kg.

The system here described is only indicative. Other options are available upon request.

MAXITOWER 52 FOR RL76 TRUSS

The Maxitower 52 systems for the 76cm truss is composed of:		9912,30	
1	MTB52	Aluminium base MT52 with fork connections for QL	1090,84
4	MTF52	MT52 stabilizer with adjustable foot	268,61
1	MTT52F	Top for QL52A truss, with 7/8" pulleys	460,99
1	QL52130A	HL 52 cm. square - cm. 130 twist resistant truss	579,98
1	QL52200A	HL 52 cm. square - cm. 200 twist-resistant truss	738,86
4	QL52300A	HL 52 cm. square - cm. 300 twist-resistant truss	891,34
28	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
1	MTC52G	Upper frame - QL52A truss, w/ wheels and rings	438,90
1	MTC52D	Lower frame - QL52A truss, w/ wheels	418,95
2	FL76059P	HL 76 cm. gate - cm. 59 truss w/ horizontal forks - FL76	215,18
1	FL76059PH	HL 76 cm. gate - cm. 59 truss w/ coupling - RL76/FL76	318,49
1	FL76059HS	HL 76 cm. gate - cm. 59 truss - hoist support	665,48

Maxitower Series - Maxitower 52

Max Height 15m
Max Payload 3.000kg.

The system here described is only indicative. Other options are available upon request.

MAXITOWER 52 FOR QL52 TRUSS

The Maxitower 52 systems for the 52cm truss is composed of:		9910,16	
1	MTB52	Aluminium base MT52 with fork connections for QL	1090,84
4	MTF52	MT52 stabilizer with adjustable foot	268,61
1	MTT52F	Top for QL52A truss, with 7/8" pulleys	460,99
1	QL52130A	HL 52 cm. square - cm. 130 twist resistant truss	579,98
1	QL52200A	HL 52 cm. square - cm. 200 twist-resistant truss	738,86
4	QL52300A	HL 52 cm. square - cm. 300 twist-resistant truss	891,34
28	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
1	MTC52G	Upper frame - QL52A truss, w/ wheels and rings	438,90
1	MTC52D	Lower frame - QL52A truss, w/ wheels	418,95
2	FL52059P	HL 52 cm. gate - cm. 59 truss w/ horizontal forks - FL76	196,65
1	FL52059PH	HL 52 cm. gate - cm. 59 truss w/ coupling - RL76/FL76	314,21
1	FL52059HS	HL 52 cm. gate - cm. 59 truss - hoist support	704,66

Maxitower Series - Maxitower 52

Max Height 12m

RISING SYSTEM

MTRS	Hoisting system for Maxi Tower up to 12 mt	1221,23
------	--	---------

Maxitower Series - Maxitower 52

OPTIONS

MTB52E	Aluminium base MT52 complete, compact version	981,11
MTF52E	MT52E stabilizer with adjustable foot	255,79

Maxitower Series - Maxitower 52

ACCESSORIES

FLRS52E-L	Inclination system for MT52 tower/Libera 76 - Left	733,88
FLRS52E-R	Inclination system for MT52 tower/Libera 76 - Right	733,88

For Maxitower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.



TRUSSING

High Load 2012

Maxitower Series - Maxitower 76

MAXITOWER 76 BASE AND TOP

MTB76	Aluminium base MT76 with fork connections for QL	1754,18
MTF76	MT76 stabilizer with adjustable foot	337,73
MTT76F	Top for QL76A truss	1557,53

Maxitower Series - Maxitower 76

MAXITOWER 76 SLEEVE BLOCK

TLS200MS	MT76 assembled sleeve block, w/hoist support	6495,15
----------	--	---------

Maxitower Series - Maxitower 76

MAXITOWER 76 MAST SECTIONS

Main tube 50x4mm
Diagonal 50x3mm
Fork connection

QL76078A	HL 76 cm. square - cm. 100 twist resistant truss type A	779,48
QL76078AB	HL 76 cm. square - cm. 100 twist resistant truss type B	779,48
QL76200A	HL 76 cm. square - cm. 200 twist resistant truss type A	1348,05
QL76200AB	HL 76 cm. square - cm. 200 twist-resistant truss type B	1348,05
KHLP	Cylindrical pin + safety R-clip 3mm.	4,63

**For Maxitower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.**



TRUSSING

High Load 2012

Flyintower Series - High Load

Max Height 13m

Max Payload 2,000Kg.

FLYINTOWER HIGH LOAD 52

	The Flyintower 52 system is composed of:	17886,60
16	FL52033V HL 52 cm. ladder - cm. 33 truss	143,21
16	FL52CS04F 4 ways fork connection system w/foot	107,59
4	FL52CS04FF 4 ways fork connection system w/foot and vertical fork	148,20
2	QL52130A HL 52 cm. square - cm. 130 twist resistant truss	579,98
4	QL52200A HL 52 cm. square - cm. 200 twist-resistant truss	738,86
4	QL52300A HL 52 cm. square - cm. 300 twist-resistant truss	891,34
1	TLT352 Top for Flyintower 52 vertical	2730,30
4	KHLB M20 screw bolt + conical spring washer	3,21
4	KHLG M20 Lifting Eye	9,26
140	KHLP Cylindrical pin + safety R-clip 3mm.	4,63
2	RAF321PS Reinforced tube with forks - 321cm. long for ballast	308,51
2	RAH335PS Reinforced arm w/hook clamps - 335cm. long for ballast	315,64
16	TAV33150 Steel deck 33 cm. Wide - 1,50m. long for ballast	57,71

Serie Flyintower - High Load 52

HARDWARE SET

	The Flyintower 52 hardware set is composed of:	783,04
24	RGSH200C 1/2" Shackle - 2,00 ton. - Screw Pin Type	5,70
4	RGML2000K4 4 pcs. set of Master link WLL 2.000 Kg.	45,60
6	RGBRT25002H Pull lash strap - 2ton - 2m w/swivel hook	24,23
4	RGSW1800 10mm. Steel wire - 1 ton - 8 meter long	41,33
6	KHLG M20 Lifting Eye	9,26
1	RGSW1900 10mm. Steel wire - 1 ton - 9 meter long	43,46
2	RGSW1200 10mm. Steel wire - 1 ton. - 2 meter long	27,08

**For Flyintower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.**



TRUSSING

High Load 2012

Clamps and accessories

Eye Couplers 50mm LP

CODE	CLAMPS AND ACCESSORIES	
C460LI	LP Eye coupler single	17,81
C464LI	LP Eye coupler single + M12 bolt and nut	18,53
C482LI	LP Eye coupler double swivel	35,63
C463LI	LP Eye coupler + lifting eye	19,95
C470LI	LP Eye coupler + Litec half spigot	22,09
C475LI	LP Eye coupler + Litec fork connector	42,04
C466	LP connection kit for C460	6,06

Eye Couplers 50mm MP

C4464LI	MP Eye coupler + M12 bolt and nut	18,53
C4460LI	MP Eye coupler single	17,81
C473LI	MP Eye coupler + Litec half spigot	21,38

Eye Couplers 30mm MP

C4560LI	MP slim Eye coupler single	15,68
C472LI	MP slim Eye coupler + Litec half spigot	21,38

Safety bonds

SC60	Safety cable with clip, 60 cm. long	4,99
------	-------------------------------------	------

Cablecross Series

Standard

CODE	STANDARD CABLECROSS	
CC30XT	Cablecross 30, rubber and polypropylene cable guard	121,84
CC30LXT	Cover for CC30XT (spare part)	34,91

Cablecross Series

Heavy Duty

CODE	HEAVY DUTY CABLECROSS	
CC33HD	Cablecross 33, High Density polyurethane	228,00
CC33HDC	Cablecross 33, 4 way cross module	210,19
CC33LHD	Cover for CC33HD (spare part)	75,53

Cablecross Series

Mini heavy Duty

CODE	HEAVY DUTY MINI CABLECROSS	
CC20HD	Cablecross 20, polyurethane cable guard	102,60
CC20HDC	Cablecross 20, 4 way cross module	94,76
CC20HDS	Cablecross 20, 4 way cable exit	64,13
CC20LHD	Cover for CC20HD (spare part)	17,81
CC20LHDC	Cover for CC20HDC (spare part)	21,38
CC20LHDS	Cover for CC20HDS (spare part)	6,06