



TRUSSING

General Purpose 2012

LITEC Standard Truss Árlista 2012

Érvényes: 2012. február 1-től (az árváltoztatás jogát fenntartjuk)

Az árak EURO-ban értendők és nem tartalmazzák az ÁFA-t.



TRUSSING

General Purpose 2012

Standard Series - QX25S

Square truss

25 cm side

Main tube 50x1,5mm
Diagonal 14x1,5mm
Double connection system

CODE	STRAIGHTS	
QX25S012M5	ST 25 cm. square - cm. 12,5 truss	91,20
QX25S025	ST 25 cm. square - cm. 25 truss	96,19
QX25S050	ST 25 cm. square - cm. 50 truss	111,86
QX25S100	ST 25 cm. square - cm. 100 truss	134,66
QX25S150	ST 25 cm. square - cm. 150 truss	167,44
QX25S200	ST 25 cm. square - cm. 200 truss	190,95
QX25S250	ST 25 cm. square - cm. 250 truss	214,46
QX25S300	ST 25 cm. square - cm. 300 truss	242,25
QX25S350	ST 25 cm. square - cm. 350 truss	267,19
QX25S400	ST 25 cm. square - cm. 400 truss	293,55

Standard Series - QX25S

CODE	CORNERS	
QX25SL2045	ST 25 cm. square - 2 way 45° corner	277,88
QX25SL2060	ST 25 cm. square - 2 way 60° corner	265,76
QX25SL2090	ST 25 cm. square - 2 way 90° corner	176,70
QX25SL2120	ST 25 cm. square - 2 way 120° corner	204,49
QX25SL2135	ST 25 cm. square - 2 way 135° corner	208,76
QX25SL3	ST 25 cm. square - 3 way corner	251,51
QX25ST3	ST 25 cm. square - 3 way tee	211,61
QX25ST4	ST 25 cm. square - 4 way tee	283,58
QX25SX4	ST 25 cm. square - 4 way cross	292,13
QX25SX5	ST 25 cm. square - 5 way cross	421,80
QX25SX6	ST 25 cm. square - 6 way cross	493,76

Standard Series - QX25S

CODE	CONNECTION SETS	
QXFC	Quick connection set for Q Series	28,50
QXSM8	Bolt connection set for Q25S Series	3,56

Standard Series - QX25S

CODE	CIRCLES	
QX25SC200A4	ST 25 cm. square - Circle ext. diam. cm. 200, 4 sect.	1291,76
QX25SC400A4	ST 25 cm. square - Circle ext. diam. cm. 400, 4 sect.	1766,29
QX25SC500A4	ST 25 cm. square - Circle ext. diam. cm. 500, 4 sect.	2232,98
QX25SC600A8	ST 25 cm. square - Circle ext. diam. cm. 600, 8 sect.	2998,91
QX25SC800A8	ST 25 cm. square - Circle ext. diam. cm. 800, 8 sect.	3543,26
QX25SC1000A8	ST 25 cm. square - Circle ext. diam. cm. 1000, 8 sect.	4240,80

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - QX25S

CODE	ACCESSORIES	
QX25SACL	ST 25 cm. square - Clamp module long	204,49
QX25SACS	ST 25 cm. square - Clamp module short	201,64
FP25	Universal 25 cm truss floor plate	72,68
C025	Bar hook for 25 cm. truss	81,94



TRUSSING

General Purpose 2012

Standard Series - TX25S

Triangular truss 25 cm side

Main tube 50x1,5mm
Diagonal 14x1,5mm
Double connection system

CODE	STRAIGHTS	
TX25S012M5	ST 25 cm. triangular - cm. 12,5 truss	77,66
TX25S025	ST 25 cm. triangular - cm. 25 truss	82,65
TX25S050	ST 25 cm. triangular - cm. 50 truss	91,20
TX25S100	ST 25 cm. triangular - cm. 100 truss	101,89
TX25S150	ST 25 cm. triangular - cm. 150 truss	121,13
TX25S200	ST 25 cm. triangular - cm. 200 truss	139,65
TX25S250	ST 25 cm. triangular - cm. 250 truss	160,31
TX25S300	ST 25 cm. triangular - cm. 300 truss	178,13
TX25S350	ST 25 cm. triangular - cm. 350 truss	198,79
TX25S400	ST 25 cm. triangular - cm. 400 truss	215,89

Standard Series - TX25S

Legend:
E= external vertex
I= internal vertex
U= vertex up
L= left
R= right

CODE	CORNERS	
TX25SL2045	ST 25 cm. triangular - 2 way 45° corner	226,58
TX25SL2060	ST 25 cm. triangular - 2 way 60° corner	193,80
TX25SL2090	ST 25 cm. triangular - 2 way 90° corner	135,38
TX25SL2090E	ST 25 cm. triangular - 2 ways 90° corner, e xt. vertex	146,06
TX25SL2090I	ST 25 cm. triangular - 2 way 90° corner, i nt. vertex	140,36
TX25SL2120	ST 25 cm. triangular - 2 way 120° corner	156,04
TX25SL2135	ST 25 cm. triangular - 2 way 135° corner	156,04
TX25SL3L	ST 25 cm. triangular - 3 way corner left	205,91
TX25SL3R	ST 25 cm. triangular - 3 way corner right	205,91
TX25ST3	ST 25 cm. triangular - 3 way tee	173,85
TX25ST4	ST 25 cm. triangular - 4 way tee	250,09
TX25SX4	ST 25 cm. triangular - 4 way cross	276,45
TX25SX5	ST 25 cm. triangular - 5 way cross	365,51
TX25SX6	ST 25 cm. triangular - 6 way cross	448,16

The corners not listed are available upon request.

Standard Series - TX25S

CODE	CONNECTION SETS	
TXFC	Quick connection set for T Series	21,38
TXSM8	Bolt connection set for TX25S	3,56

Standard Series - TX25S

Please always specify:
E= external vertex
I= internal vertex
or vertex up/down

CODE	CIRCLES	
TX25SC200A4	ST 25 cm. triangular - Circle ext. diam. cm. 200, 4 sect.	1135,01
TX25SC400A4	ST 25 cm. triangular - Circle ext. diam. cm. 400, 4 sect.	1614,53
TX25SC500A4	ST 25 cm. triangular - Circle ext. diam. cm. 500, 4 sect.	1726,39
TX25SC600A8	ST 25 cm. triangular - Circle ext. diam. cm. 600, 8 sect.	2537,93
TX25SC800A8	ST 25 cm. triangular - Circle ext. diam. cm. 800, 8 sect.	3072,30
TX25SC1000A8	ST 25 cm. triangular - Circle ext. diam. cm. 1000, 8 sect.	3521,18

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - TX25S

CODE	ACCESSORIES	
FP25	Universal 25 cm truss floor plate	72,68
C025	Bar hook for 25 cm. truss	81,94



TRUSSING

General Purpose 2012

Standard Series - FX25S

Flat Truss

25cm side

Main tube 50x1,5mm
Diagonal 14x1,5mm
Double connection system

CODE	STRAIGHTS	
FX25S012M5	ST 25 cm. flat - cm. 12,5 truss	65,55
FX25S025	ST 25 cm. flat - cm. 25 truss	68,40
FX25S050	ST 25 cm. flat - cm. 50 truss	69,83
FX25S100	ST 25 cm. flat - cm. 100 truss	73,39
FX25S150	ST 25 cm. flat - cm. 150 truss	84,08
FX25S200	ST 25 cm. flat - cm. 200 truss	94,05
FX25S250	ST 25 cm. flat - cm. 250 truss	106,16
FX25S300	ST 25 cm. flat - cm. 300 truss	115,43
FX25S350	ST 25 cm. flat - cm. 350 truss	126,11
FX25S400	ST 25 cm. flat - cm. 400 truss	131,81

Standard Series - FX25S

Legend:
P= horizontal
V= vertical
L= left
R= right

CODE	CORNERS	
FX25SL2045P	ST 25 cm. flat - 2 way 45° corner horizontal	131,10
FX25SL2045V	ST 25 cm. flat - 2 way 45° corner vertical	131,10
FX25SL2060P	ST 25 cm. flat - 2 way 60° corner horizontal	131,81
FX25SL2060V	ST 25 cm. flat - 2 way 60° corner vertical	131,81
FX25SL2090P	ST 25 cm. flat - 2 way 90° corner horizontal	91,20
FX25SL2090V	ST 25 cm. flat - 2 way 90° corner vertical	92,63
FX25SL2120P	ST 25 cm. flat - 2 way 120° corner horizontal	91,20
FX25SL2120V	ST 25 cm. flat - 2 way 120° corner vertical	92,63
FX25SL2135P	ST 25 cm. flat - 2 way 135° corner horizontal	91,20
FX25SL2135V	ST 25 cm. flat - 2 way 135° corner vertical	92,63
FX25SL3LP	ST 25 cm. flat - 3 way corner left horizontal	116,14
FX25SL3LV	ST 25 cm. flat - 3 way corner left vertical	116,14
FX25SL3RP	ST 25 cm. flat - 3 way corner right horizontal	115,43
FX25SL3RV	ST 25 cm. flat - 3 way corner right vertical	115,43
FX25ST3NP	ST 25 cm. flat - 3 way tee horizontal	104,74
FX25ST3NV	ST 25 cm. flat - 3 way tee vertical	107,59
FX25ST4NP	ST 25 cm. flat - 4 way tee horizontal	145,35
FX25ST4NV	ST 25 cm. flat - 4 way tee vertical	144,64
FX25SX4NP	ST 25 cm. flat - 4 way cross horizontal	146,06
FX25SX4NV	ST 25 cm. flat - 4 way cross vertical	146,06

Standard Series - FX25S

CODE	CONNECTION SETS	
FXFC	Quick connection set for F Series	14,96
FXSM8	Bolt connection set for FX25S	2,49

Standard Series - FX25S

Please always specify:
P= horizontal
V= vertical

CODE	CIRCLES	
FX25SC200A4_	ST 25 cm. flat - Circle ext. diam. cm. 200, 4 sect.	669,75
FX25SC400A4_	ST 25 cm. flat - Circle ext. diam. cm. 400, 4 sect.	961,88
FX25SC500A4_	ST 25 cm. flat - Circle ext. diam. cm. 500, 4 sect.	1121,48
FX25SC600A8_	ST 25 cm. flat - Circle ext. diam. cm. 600, 8 sect.	1462,05
FX25SC800A8_	ST 25 cm. flat - Circle ext. diam. cm. 800, 8 sect.	1892,40
FX25SC1KA8_	ST 25 cm. flat - Circle ext. diam. cm. 1000, 8 sect.	2255,06

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - FX25S

CODE	ACCESSORIES	
FX25SACL	ST 25 cm. flat - Clamp module long	114,00
FX25SACS	ST 25 cm. flat - Clamp module short	111,15
FP25	Universal 25 cm truss floor plate	72,68



TRUSSING

General Purpose 2012

Standard Series - QX30S

Square Truss

29cm side

Main tube 50x2mm
Diagonal 18x2mm
Double connection system

CODE	STRAIGHTS	
QX30S010M5	ST 29 cm. square - cm. 10 reinforced truss	97,61
QX30S021	ST 29 cm. square - cm. 25 reinforced truss	99,04
QX30S025	ST 29 cm. square - cm. 25 reinforced truss	101,18
QX30S029	ST 29 cm. square - cm. 29 reinforced truss	105,45
QX30S050	ST 29 cm. square - cm. 50 reinforced truss	109,73
QX30S100	ST 29 cm. square - cm. 100 reinforced truss	133,24
QX30S150	ST 29 cm. square - cm. 150 reinforced truss	170,29
QX30S200	ST 29 cm. square - cm. 200 reinforced truss	190,95
QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
QX30S300	ST 29 cm. square - cm. 300 reinforced truss	251,51
QX30S350	ST 29 cm. square - cm. 350 reinforced truss	302,81
QX30S400	ST 29 cm. square - cm. 400 reinforced truss	317,06

Standard Series - QX30S

CODE	CORNERS	
QX30SL2045	ST 29 cm. square - 2 way 45° corner	255,79
QX30SL2060	ST 29 cm. square - 2 way 60° corner	240,83
QX30SL2090	ST 29 cm. square - 2 way 90° corner	154,61
QX30SL2120	ST 29 cm. square - 2 way 120° corner	175,28
QX30SL2135	ST 29 cm. square - 2 way 135° corner	182,40
QX30SL3	ST 29 cm. square - 3 way corner	218,74
QX30ST3	ST 29 cm. square - 3 way tee	188,10
QX30ST4	ST 29 cm. square - 4 way tee	260,06
QX30SX4	ST 29 cm. square - 4 way cross	262,91
QX30SX5	ST 29 cm. square - 5 way cross	405,41
QX30SX6	ST 29 cm. square - 6 way cross	484,50
QX30SX8	ST 29 cm. square - 8 way horizontal cross	1343,06

Standard Series - QX30S

CODE	CONNECTION SETS	
QXFC	Quick connection set for Q Series	28,50
QXSM10	Bolt connection set for Q30S and Q40S Series	3,56

Standard Series - QX30S

CODE	CIRCLES	
QX30SC200A4	ST 29 cm. square - Circle ext. diam cm. 250, 4 sect.	1716,41
QX30SC300A4	ST 29 cm. square - Circle ext. diam cm. 300, 4 sect.	2059,84
QX30SC400A4	ST 29 cm. square - Circle ext. diam cm. 400, 4 sect.	2433,90
QX30SC500A4	ST 29 cm. square - Circle ext. diam cm. 500, 4 sect.	3022,43
QX30SC600A8	ST 29 cm. square - Circle ext. diam cm. 600, 8 sect.	4007,10
QX30SC700A8	ST 29 cm. square - Circle ext. diam cm. 700, 8 sect.	4455,26
QX30SC800A8	ST 29 cm. square - Circle ext. diam cm. 800, 8 sect.	4924,80
QX30SC900A8	ST 29 cm. square - Circle ext. diam cm. 900, 8 sect.	5457,75
QX30SC1000A8	ST 29 cm. square - Circle ext. diam cm. 1000, 8 sect.	5912,33

**We manufacture rings and curved elements of any size and modularity.
Please contact us for any information.**

Standard Series - QX30S

CODE	ACCESSORIES	
QX30SACL	ST 29 cm. square - Clamp module long	205,91
QX30SACS	ST 29 cm. square - Clamp module short	203,06
QX30SACSC	ST 29 cm. Square - Clamp module for Towerlift/Varitower	186,68
FP30	Universal 29 cm truss floor plate	81,23
C030	Bar hook for 29 cm. truss	81,94
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65
N C030WB	29cm wall bracket W/half couplers	75,53



TRUSSING

General Purpose 2012

Standard Series - TX30S

Triangular Truss

29cm side

Main tube 50x2mm
Diagonal 18x2mm
Double connection system

CODE

STRAIGHTS

TX30S010M5	ST 29 cm. triangular - cm. 10,5 reinforced truss	83,36
TX30S021	ST 29 cm. triangular - cm. 21 reinforced truss	84,08
TX30S025	ST 29 cm. triangular - cm. 25 reinforced truss	84,08
TX30S050	ST 29 cm. triangular - cm. 50 reinforced truss	89,06
TX30S100	ST 29 cm. triangular - cm. 100 reinforced truss	105,45
TX30S150	ST 29 cm. triangular - cm. 150 reinforced truss	127,54
TX30S200	ST 29 cm. triangular - cm. 200 reinforced truss	145,35
TX30S250	ST 29 cm. triangular - cm. 250 reinforced truss	172,43
TX30S300	ST 29 cm. triangular - cm. 300 reinforced truss	193,80
TX30S350	ST 29 cm. triangular - cm. 350 reinforced truss	214,46
TX30S400	ST 29 cm. triangular - cm. 400 reinforced truss	236,55

Standard Series - TX30S

Legend:

E= external vertex
I= internal vertex
U= vertex up
L= left
R= right

CODE

CORNERS

TX30SL2045	ST 29 cm. triangular - 2 way 45° corner	229,43
TX30SL2060	ST 29 cm. triangular - 2 way 60° corner	230,85
TX30SL2090	ST 29 cm. triangular - 2 way 90° corner	138,94
TX30SL2090E	ST 29 cm. triangular - 2 way 90° corner, e xt. vertex	144,64
TX30SL2090I	ST 29 cm. triangular - 2 way 90° corner, i nt. vertex	141,79
TX30SL2120	ST 29 cm. triangular - 2 way 120° corner	160,31
TX30SL2135	ST 29 cm. triangular - 2 way 135° corner	161,74
TX30SL3L	ST 29 cm. triangular - 3 way corner left	198,79
TX30SL3R	ST 29 cm. triangular - 3 way corner right	198,79
TX30ST3	ST 29 cm. triangular - 3 way tee	172,43
TX30ST4	ST 29 cm. triangular - 4 way tee	229,43
TX30SX4	ST 29 cm. triangular - 4 way cross	247,24
TX30SX5	ST 29 cm. triangular - 5 way cross	370,50
TX30SX6	ST 29 cm. triangular - 6 way cross	446,74

The corners not listed are available upon request.

Standard Series - TX30S

CODE

CONNECTION SETS

TXFC	Quick connection set for T Series	21,38
TXSM10	Bolt connection set for T30S and T40S Series	3,56

Standard Series - TX30S

Please specify always:

E= external vertex
I= internal vertex
or vertex up/down

CODE

CIRCLES

TX30SC200A4	ST 29 cm. triangular - Circle ext. diam. cm. 200, 4 sect.	1278,94
TX30SC400A4	ST 29 cm. triangular - Circle ext. diam. cm. 400, 4 sect.	1983,60
TX30SC500A4	ST 29 cm. triangular - Circle ext. diam. cm. 500, 4 sect.	2624,85
TX30SC600A8	ST 29 cm. triangular - Circle ext. diam. cm. 600, 8 sect.	3127,88
TX30SC800A8	ST 29 cm. triangular - Circle ext. diam. cm. 800, 8 sect.	4016,36
TX30SC1000A8	ST 29 cm. triangular - Circle ext. diam. cm. 1000, 8 sect.	5018,85

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - TX30S

CODE

ACCESSORIES

FP30	Universal 29 cm truss floor plate	81,23
FP30M	Universal 29 cm truss large floor plate	116,85
C030	Bar hook for 29 cm. truss	81,94
CBT3040	2 points Bridle Hook for 29/40 cm. truss	119,70



TRUSSING

General Purpose 2012

Standard Series - FX30S

Flat Truss

29cm side

Main tube 50x2mm
Diagonal 18x2mm
Double connection system

CODE	STRAIGHTS	
FX30S010M5	ST 29 cm. flat - cm. 10,5 truss	66,98
FX30S021	ST 29 cm. flat - cm. 21 truss	69,83
FX30S025	ST 29 cm. flat - cm. 25 truss	70,54
FX30S050	ST 29 cm. flat - cm. 50 truss	76,24
FX30S100	ST 29 cm. flat - cm. 100 truss	81,94
FX30S150	ST 29 cm. flat - cm. 150 truss	91,91
FX30S200	ST 29 cm. flat - cm. 200 truss	104,03
FX30S250	ST 29 cm. flat - cm. 250 truss	115,43
FX30S300	ST 29 cm. flat - cm. 300 truss	128,25
FX30S350	ST 29 cm. flat - cm. 350 truss	143,21
FX30S400	ST 29 cm. flat - cm. 400 truss	153,19

Standard Series - FX30S

Legend:
P= horizontal
V= vertical
L= left
R= right

CODE	CORNERS	
FX30SL2060P	ST 29 cm. flat - 2 way 60° corner horizontal	160,31
FX30SL2060V	ST 29 cm. flat - 2 way 60° corner vertical	160,31
FX30SL2090P	ST 29 cm. flat - 2 way 90° corner horizontal	105,45
FX30SL2090V	ST 29 cm. flat - 2 way 90° corner vertical	105,45
FX30SL2120P	ST 29 cm. flat - 2 way 120° corner horizontal	110,44
FX30SL2120V	ST 29 cm. flat - 2 way 120° corner vertical	110,44
FX30SL2135P	ST 29 cm. flat - 2 way 135° corner horizontal	110,44
FX30SL2135V	ST 29 cm. flat - 2 way 135° corner vertical	110,44
FX30SL3LP	ST 29 cm. flat - 3 way corner left horizontal	150,34
FX30SL3LV	ST 29 cm. flat - 3 way corner left vertical	150,34
FX30SL3RP	ST 29 cm. flat - 3 way corner right horizontal	150,34
FX30SL3RV	ST 29 cm. flat - 3 way corner right vertical	150,34
FX30ST3NP	ST 29 cm. flat - 3 way tee horizontal	137,51
FX30ST3NV	ST 29 cm. flat - 3 way tee vertical	137,51
FX30ST4NP	ST 29 cm. flat - 4 way tee horizontal	180,98
FX30ST4NV	ST 29 cm. flat - 4 way tee vertical	180,98
FX30SX4NP	ST 29 cm. flat - 4 way cross horizontal	180,98
FX30SX4NV	ST 29 cm. flat - 4 way cross vertical	180,98

Standard Series - FX30S

CODE	CONNECTION SETS	
FXFC	Quick connection set for F Series	14,96
FXSM10	Bolt connection set for F30 and F40 Series	2,49

Standard Series - FX30S

Please always specify:
P= horizontal
V= vertical

CODE	CIRCLES	
FX30SC200A4_	ST 29 cm. flat - circle ext. diam. cm. 200, 4 sect.	797,29
FX30SC400A4_	ST 29 cm. flat - circle ext. diam. cm. 400, 4 sect.	1167,08
FX30SC500A4_	ST 29 cm. flat - circle ext. diam. cm. 500, 4 sect.	1359,45
FX30SC600A8_	ST 29 cm. flat - circle ext. diam. cm. 600, 8 sect.	1863,19
FX30SC800A8_	ST 29 cm. flat - circle ext. diam. cm. 800, 8 sect.	2237,25
FX30SC1KA8_	ST 29 cm. flat - circle ext. diam. cm. 1000, 8 sect.	2686,13

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - FX30S

CODE	ACCESSORIES	
FX30SACL	ST 29 cm. flat - Clamp module long	125,40
FX30SACS	ST 29 cm. flat - Clamp module short	121,84
FP30	Universal 29 cm truss floor plate	81,23
FP30M	Universal 29 cm truss large floor plate	116,85



TRUSSING

General Purpose 2012

Standard Series - QX40S

Square Truss

40cm side

Main tube 50x2mm
Diagonal 25x2mm
Double connection system

CODE	STRAIGHTS	
QX40S010	ST 40 cm. square - cm. 10 truss	111,86
QX40S025	ST 40 cm. square - cm. 25 truss	144,64
QX40S050	ST 40 cm. square - cm. 50 truss	185,25
QX40S100	ST 40 cm. square - cm. 100 truss	205,91
QX40S150	ST 40 cm. square - cm. 150 truss	245,81
QX40S200	ST 40 cm. square - cm. 200 truss	282,15
QX40S250	ST 40 cm. square - cm. 250 truss	330,60
QX40S300	ST 40 cm. square - cm. 300 truss	362,66
QX40S350	ST 40 cm. square - cm. 350 truss	408,26
QX40S400	ST 40 cm. square - cm. 400 truss	451,01

Standard Series - QX40S

CODE	CORNERS	
QX40SL2045	ST 40 cm. square - 2 way 45° corner	358,39
QX40SL2060	ST 40 cm. square - 2 way 60° corner	334,88
QX40SL2090	ST 40 cm. square - 2 way 90° corner	214,46
QX40SL2120	ST 40 cm. square - 2 way 120° corner	232,28
QX40SL2135	ST 40 cm. square - 2 way 135° corner	242,25
QX40SL3	ST 40 cm. square - 3 way corner	311,36
QX40ST3	ST 40 cm. square - 3 way tee	352,69
QX40ST4	ST 40 cm. square - 4 way tee	352,69
QX40SX4	ST 40 cm. square - 4 way cross	394,01
QX40SX5	ST 40 cm. square - 5 way cross	462,41
QX40SX6	ST 40 cm. square - 6 way cross	607,76

Standard Series - QX40S

CODE	CONNECTION SETS	
QXFC	Quick connection set for Q Series	28,50
QXSM10	Bolt connection set for Q30S and Q40S Series	3,56

Standard Series - QX40S

CODE	CIRCLES	
QX40SC250A4	ST 40 cm. square - Circle ext. diam cm. 250, 4 sect.	2191,65
QX40SC400A4	ST 40 cm. square - Circle ext. diam cm. 400, 4 sect.	2737,43
QX40SC500A4	ST 40 cm. square - Circle ext. diam cm. 500, 4 sect.	3213,38
QX40SC600A8	ST 40 cm. square - Circle ext. diam cm. 600, 8 sect.	4646,93
QX40SC800A8	ST 40 cm. square - Circle ext. diam cm. 800, 8 sect.	5422,13
QX40SC1000A8	ST 40 cm. square - Circle ext. diam cm. 1000, 8 sect.	6619,84

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Standard Series - QX40S

CODE	ACCESSORIES	
QX40SACSC	ST 40 cm. square - Clamp module Towerlift/Varitower	222,30
FP40	Universal 40 cm truss floor plate	111,86
C040	Bar hook for 40 cm. truss	86,93
CBT3040	2 points Bridle Hook for 29/40 cm. truss	119,70
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65



TRUSSING

General Purpose 2012

DADO - FX25S

CODE	UNIVERSAL 90° CORNER	
FX25K2	DADO 4 way flat corner (2 nodules)	24,94
FXKFC	2 special steel half spigot with screw	12,83
TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68

DADO - FX30S

CODE	UNIVERSAL 90° CORNER	
FX30K2	DADO 4 way flat corner (2 nodules)	28,50
FXKFC	2 special steel half spigot with screw	12,83
TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68

DADO - FX40S

CODE	UNIVERSAL 90° CORNER	
FX40K2	DADO 4 way flat corner (2 nodules)	29,93
FXKFC	2 special steel half spigot with screw	12,83
TZ40K01	Assembly tool for half-spigot in 40 cm side truss	17,81

DADO - QX25S

CODE	UNIVERSAL 90° CORNER	
QX25K8	DADO 6 way box corner (8 nodules)	189,53
FX25K4	DADO 6 way flat corner (4 nodules)	66,26
QXKFC	Set of 4 half spigot with screw for Dado	22,80
TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68

DADO - QX30S

CODE	UNIVERSAL 90° CORNER	
QX30K8	DADO 6 way box corner (8 nodules)	197,36
FX30K4	DADO 6 way flat corner (4 nodules)	73,39
QXKFC	Set of 4 half spigot with screw for Dado	22,80
TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68

DADO - QX40S

CODE	UNIVERSAL 90° CORNER	
QX40K8	DADO 6 way box corner (8 nodules)	315,64
FX40K4	DADO 6 way flat corner (4 nodules)	102,60
QXKFC	Set of 4 half spigot with screw for Dado	22,80
TZ40K01	Assembly tool for half-spigot in 40 cm side truss	17,81



TRUSSING

General Purpose 2012

Heavy Duty Series - QD30S

Square Truss

29cm side

Main tube 50x3mm
Diagonal 30x3mm
Double connection system

CODE	STRAIGHTS	
QD30S010M5	HD 29 cm. square - cm. 10,5 truss	100,46
QD30S021	HD 29 cm. square - cm. 21 truss	101,89
QD30S025	HD 29 cm. square - cm. 25 truss	137,51
QD30S050	HD 29 cm. square - cm. 50 truss	167,44
QD30S100	HD 29 cm. square - cm. 100 truss	183,83
QD30S150	HD 29 cm. square - cm. 150 truss	235,13
QD30S200	HD 29 cm. square - cm. 200 truss	286,43
QD30S250	HD 29 cm. square - cm. 250 truss	339,15
QD30S300	HD 29 cm. square - cm. 300 truss	390,45
QD30S350	HD 29 cm. square - cm. 350 truss	437,48
QD30S400	HD 29 cm. square - cm. 400 truss	490,91

Heavy Duty Series - QD30SA

Square Truss Twist resist.

29cm side

Main tube 50x3mm
Diagonal 30x3mm
Double connection system

CODE	STRAIGHTS	
QD30S050A	HD 29 cm. square - cm. 50 twist resistant truss	197,36
QD30S100A	HD 29 cm. square - cm. 100 twist resistant truss	223,73
QD30S150A	HD 29 cm. square - cm. 150 twist resistant truss	285,00
QD30S200A	HD 29 cm. square - cm. 200 twist resistant truss	333,45
QD30S250A	HD 29 cm. square - cm. 250 twist resistant truss	394,01
QD30S300A	HD 29 cm. square - cm. 300 twist resistant truss	443,89
QD30S350A	HD 29 cm. square - cm. 350 twist resistant truss	502,31
QD30S400A	HD 29 cm. square - cm. 400 twist resistant truss	578,55

Heavy Duty Series - QD30S

CODE	CORNERS	
QD30SL2045	HD 29 cm. square - 2 way 45° corner	358,39
QD30SL2060	HD 29 cm. square - 2 way 60° corner	358,39
QD30SL2090	HD 29 cm. square - 2 way 90° corner	229,43
QD30SL2120	HD 29 cm. square - 2 way 120° corner	255,79
QD30SL2135	HD 29 cm. square - 2 way 135° corner	255,79
QD30SL3	HD 29 cm. square - 3 way corner	342,00
QD30ST3	HD 29 cm. square - 3 way tee	261,49
QD30ST4	HD 29 cm. square - 4 way tee	364,09
QD30SX4	HD 29 cm. square - 4 way cross	339,15
QD30SX5	HD 29 cm. square - 5 way cross	424,65
QD30SX6	HD 29 cm. square - 6 way cross	496,61

Heavy Duty Series - QD30S/QD30SA

CODE	CONNECTION SETS	
QXFC	Quick connection set for Q Series	28,50
QXSM10	Bolt connection set for Q30S and Q40S Series	3,56

Heavy Duty Series - QD30S/QD30SA

CODE	CIRCLES	
For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.		

Heavy Duty Series - QD30S/QD30SA

CODE	ACCESSORIES	
QD30SACL	HD 29 cm. square - Clamp module long	198,79
QD30SACS	HD 29 cm. square - Clamp module short	208,76
FP30	Universal 29 cm truss floor plate	81,23
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65
C030	Bar hook for 29 cm. truss	81,94



TRUSSING

General Purpose 2012

Heavy Duty Series - QD40S

Square Truss

40cm side

Main tube 50x3mm
Diagonal 30x3mm
Double connection system

CODE	STRAIGHTS	
QD40S010	HD 40 cm. square - cm. 10 reinforced truss	137,51
QD40S025	HD 40 cm. square - cm. 25 reinforced truss	183,83
QD40S050A	HD 40 cm. square - cm. 50 twist resistant reinforced truss	220,16
QD40S100	HD 40 cm. square - cm. 100 reinforced truss	267,19
QD40S150	HD 40 cm. square - cm. 150 reinforced truss	315,64
QD40S200	HD 40 cm. square - cm. 200 reinforced truss	374,78
QD40S250	HD 40 cm. square - cm. 250 reinforced truss	421,80
QD40S300	HD 40 cm. square - cm. 300 reinforced truss	471,68
QD40S350	HD 40 cm. square - cm. 350 reinforced truss	555,04
QD40S400	HD 40 cm. square - cm. 400 reinforced truss	603,49

Heavy Duty Series - QD40SA

Square Truss Twist resist.

40cm side

Main tube 50x3mm
Diagonal 30x3mm
Double connection system

CODE	STRAIGHTS	
QD40S050A	HD 40 cm. square - cm. 50 twist resistant reinforced truss	220,16
QD40S100A	HD 40 cm. square - cm. 100 twist resist. reinforced truss	282,15
QD40S150A	HD 40 cm. square - cm. 150 twist resist. reinforced truss	349,84
QD40S200A	HD 40 cm. square - cm. 200 twist resist. reinforced truss	399,71
QD40S250A	HD 40 cm. square - cm. 250 twist resist. reinforced truss	465,98
QD40S300A	HD 40 cm. square - cm. 300 twist resist. reinforced truss	521,55
QD40S350A	HD 40 cm. square - cm. 350 twist resist. reinforced truss	594,94
QD40S400A	HD 40 cm. square - cm. 400 twist resist. reinforced truss	651,94

Heavy Duty Series - QD40S

CODE	CORNERS	
QD40SL2045	HD 40 cm. square - 2 way 45° corner	458,14
QD40SL2060	HD 40 cm. square - 2 way 60° corner	413,96
QD40SL2090	HD 40 cm. square - 2 way 90° corner	292,13
QD40SL2120	HD 40 cm. square - 2 way 120° corner	332,03
QD40SL2135	HD 40 cm. square - 2 way 135° corner	336,30
QD40SL3	HD 40 cm. square - 3 way corner	398,29
QD40ST3	HD 40 cm. square - 3 way tee	366,94
QD40ST4	HD 40 cm. square - 4 way tee	453,86
QD40SX4	HD 40 cm. square - 4 way cross	487,35
QD40SX5	HD 40 cm. square - 5 way cross	577,13
QD40SX6	HD 40 cm. square - 6 way cross	697,54

Heavy Duty Series - QD40S/QD40SA

	CONNECTION SETS	
QXFC	Quick connection set for Q Series	28,50
QXSM10	Bolt connection set for Q30S and Q40S Series	3,56

Heavy Duty Series - QD40S/QD40SA

CIRCLES

For this series we manufacture rings and curved elements of any size and modularity. Please contact us for any information.

Heavy Duty Series - QD40S/QD40SA

	ACCESSORIES	
QD40SACSC	HD 40 cm. square - Clamp module Towerlift/Varitower	217,31
FP40	Universal 40 cm truss floor plate	111,86
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65
C040	Bar hook for 40 cm. truss	86,93

We manufacture upon request:

Heavy Duty triangular truss TD40S and Heavy Duty flat truss FD40S



TRUSSING

General Purpose 2012

Standard Series & Heavy Duty

ACCESSORIES

Floor plates

FP25	Universal 25 cm truss floor plate	72,68
FP30	Universal 29 cm truss floor plate	81,23
FP30M	Universal 29 cm truss large floor plate	116,85
FP40	Universal 40 cm truss floor plate	111,86

Reinforcement arms

RA050	Reinforcement arm cm. 50	106,16
RA100	Reinforcement arm cm. 100	112,58
RA200	Reinforcement arm cm. 200	126,83
RA300	Reinforcement arm cm. 300	137,51

Pipes

RAB505	Aluminium pipe cm. 100 with bushes	59,85
RAB507	Aluminium pipe cm. 200 with bushes	69,83
RAB506	Aluminium pipe cm. 300 with bushes	79,80

RAT050	Aluminium pipe cm. 50 with caps	17,10
RAT100	Aluminium pipe cm. 100 with caps	20,66
RAT150	Aluminium pipe cm. 150 with caps	26,36
RAT200	Aluminium pipe cm. 200 with caps	33,49
RAT250	Aluminium pipe cm. 250 with caps	38,48
RAT300	Aluminium pipe cm. 300 with caps	43,46

RF150	Foot outrigger cm. 150	230,85
RF200	Foot outrigger cm. 200	236,55

Hangers

CBT3040	2 points Bridle Hook for 29/40 cm. truss	119,70
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65
C025	Bar hook for 25 cm. truss	81,94
C030	Bar hook for 29 cm. truss	81,94
C040	Bar hook for 40 cm. truss	86,93
N C030WB	29cm wall bracket W/half couplers	75,53

Standard Series & Heavy Duty

SPARES

Connection spares

KCP	R-spring, set of 100	8,91
KSG	Litetruss aluminium spigot, set of 10	46,31
KSP	Steel pin, set of 10	13,54
K370	Half truss spigot + 1 steel pin + 1 R-spring (not for Dado)	7,13
KSF	Threaded pin, set of 12	22,09
QXICU	Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61



TRUSSING

General Purpose 2012

Heavy Load Series - RF40

Rectangular truss

40x29cm side

Main tube 50x3mm
Diagonal 30x3mm
Fork connection

CODE STRAIGHTS

RF40100	Heavy Load 40*29cm. rectangular truss - 100 cm.	499,46
RF40200	Heavy Load 40*29cm. rectangular truss - 200 cm.	646,24
RF40300	Heavy Load 40*29cm. rectangular truss - 300 cm.	800,14
RF40400	Heavy Load 40*29cm. rectangular truss - 400 cm.	954,04

Heavy Load Series - RF40

CODE GATES AND CORNERS

FF40023M9P	Heavy Load 40 Gate - 23,9 cm.	161,74
KF30P3030	Plate for 90° corner incl. Bolts	61,99
KF30L2135	Kit for 135° corner	99,04
KCFS	Kit for vertical connection incl. bolts, spigots and accessories	56,29

Heavy Load Series - RF40

CODE CONNECTIONS

KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
CBT3040	2 points Bridle Hook for 29/40 cm. truss	119,70
CBQ3040	4 points Bridle Hook for 29/40 cm. truss	196,65

We manufacture upon request:
Heavy Load Square truss QF40A



TRUSSING

General Purpose 2012

Towerlift Series

Max Height 6,50m

Max payload 500kg.

(max payload with a hoist 1.000 Kg.)

The system here described is only indicative. Other options are available upon request.

CODE TOWERLIFT 3

	The Towerlift system is composed of:	2783,03
1	TL3Q30 Towerlift 3 module base 1,5 mt. with winch	1453,50
1	TLU30TW Towerlift 3 top	207,34
1	TLU30S 30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
2	QX30S250 ST 29 cm. square - cm. 250 reinforced truss	233,70
2	QXFC Quick connection set for Q Series	28,50

Towerlift Series

CODE ACCESSORIES

	QXICU Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
	TLU30MS Hoist support for Universal Sleeve Block 30	144,64
	QXKFCT Set of 4 half spigot with screw for Universal Sleeve Block	23,51
	TLV30T Universal Large Top - 30 series Towers - 4 pulley position	280,73

Unitower Series

Max Height 7m

Max payload 1.000kg.

The system here described is only indicative. Other options are available upon request.

CODE UNITOWER

	The Unitower system is composed of:	3035,96
1	TLU30B Unitower base, 4 stabilizer/outrigger, 75cm. QX30S truss	1464,90
1	TLU30T Universal 30 top	207,34
1	TLU30S 30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
1	QXICU Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
1	QX30S300 ST 29 cm. square - cm. 300 reinforced truss	251,51
1	QX30S350 ST 29 cm. square - cm. 350 reinforced truss	302,81
2	QXFC Quick connection set for Q Series	28,50

Unitower Series

CODE ACCESSORIES

	TFRS03 Tower rising kit, complete	704,66
	TLU30MS Hoist support for Universal Sleeve Block 30	144,64
	QXKFCT Set of 4 half spigot with screw for Universal Sleeve Block	23,51
	TLV30T Universal Large Top - 30 series Towers - 4 pulley position	280,73

**For Unitower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.**



TRUSSING

General Purpose 2012

Varitower Series

Max Height 8m

Max payload 1.800kg.

The system here described is only indicative. Other options are available upon request.

CODE

VARITOWER 2 - 30

The Varitower 2-30 system is composed of:			3918,04
1	TLV2Q30	Aluminium Base incl. 1 QD30100A and hinge set QXICU	1161,38
4	TLV40F	Varitower 2 stabilizer	218,74
1	TLV30T	Universal Large Top - 30 series Towers - 4 pulley position	280,73
1	TLU30S	30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
1	QD30S300A	HD 29 cm. square - cm. 300 twist resistant truss	443,89
1	QD30S350A	HD 29 cm. square - cm. 350 twist resistant truss	502,31
2	QXFC	Quick connection set for Q Series	28,50

Varitower Series

Max Height 9m

Max payload 2.000kg.

The system here described is only indicative. Other options are available upon request.

CODE

VARITOWER 2 - 40

The Varitower 2-40 system is composed of:			4651,20
1	TLV2Q40	Aluminium Base incl. 1 QD40S100A and hinge set QXICU	1206,98
4	TLV40F	Varitower 2 stabilizer	218,74
1	TLV40T	Varitower 2 - 40 cm Top	342,00
1	TLV40S	40 cm tower - Universal Sleeve block for 25/29 and 40cm truss	698,96
1	QD40S200A	HD 40 cm. square - cm. 200 twist resist. reinforced truss	399,71
2	QD40S300A	HD 40 cm. square - cm. 300 twist resist. reinforced truss	521,55
3	QXFC	Quick connection set for Q Series	28,50

Varitower Series

CODE

ACCESSORIES

	TFRS04	Varitower 2 rising system	885,64
	TLU30MS	Hoist support for Universal Sleeve Block 30	144,64
	TLV40MS	Hoist support for Universal Sleeve Block 40	175,28
	QXKFCT	Set of 4 half spigot with screw for Universal Sleeve Block	23,51

**For Varitower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.**



TRUSSING

General Purpose 2012

Flyintower Series - Compact

Max Height 6m
Max payload 300kg.

FLYINTOWER COMPACT

The Flyintower Compact system is composed of:		2963,29
1	FTC30B FT compact aluminium base, complete	1536,86
1	FTC30T FT compact top	327,75
1	FTC30BT FT compact ballast support kit	538,65
2	QX30S300 ST 29 cm. square - cm. 300 reinforced truss	251,51
2	QXFC Quick connection set for Q Series	28,50

Flyintower Series - Compact

ACCESSORIES

TFWS03	FT compact Manual Winch Lifting kit	485,93
--------	-------------------------------------	--------

Flyintower Series - Standard

Max Height 7,5m
Max payload 500kg.

FLYINTOWER STANDARD

The Flyintower X30 system is composed of:		3886,69
1	TFBS30 3 way base unit with adjustable feet	1252,58
2	TFS30 Hoist support	20,66
2	TFTS30 Front end with adjustable foot	166,01
2	TFP30 Front reinforced arm	96,19
4	TFA30 Front arm fitting	86,93
3	QX30S300 ST 29 cm. square - cm. 300 reinforced truss	251,51
2	QX30S200 ST 29 cm. square - cm. 200 reinforced truss	190,95
7	QXFC Quick connection set for Q Series	28,50
1	TLTS05 Flyintower 30 Top - 4 pulley position	384,75

Flyintower Series - Heavy Duty

Max Height 9,5m
Max payload 600kg.

FLYINTOWER HEAVY DUTY

The Flyintower D30 system is composed of:		5294,59
1	TFBS30 3 way base unit with adjustable feet	1252,58
2	TFS30 Hoist support	20,66
2	TFTS30 Front end with adjustable foot	166,01
2	TFP30D Front reinforced arm	200,21
4	TFA30 Front arm fitting	86,93
3	QD30S300A HD 29 cm. square - cm. 300 twist resistant truss	443,89
2	QD30S350A HD 29 cm. square - cm. 350 twist resistant truss	502,31
7	QXFC Quick connection set for Q Series	28,50
1	TLTS05 Flyintower 30 Top - 4 pulley position	384,75

Flyintower Series

CODE

ACCESSORIES

TFWS02	Manual Lifting kit for PA system, complete	411,11
TFRS01	Tower rising kit, complete	543,64
C030S	Hoist coupler	86,93

**For Flyintower we suggest the use of electric chain hoists.
Further details included in the Rigging price list.**



TRUSSING

General Purpose 2012

Arc roof system

Size 6x4 m

Height 4,50m

CODE	ARC ROOF 6X4	
The 6x4 m Arc Roof system is composed of:		12855,64
4 QX30S350	ST 29 cm. square - cm. 350 reinforced truss	302,81
4 QX30S150	ST 29 cm. square - cm. 150 reinforced truss	170,29
6 QX30K8	6 way box corner (8 nodules)	197,36
3 QXFC	Quick connection set for Q Series	28,50
4 QXKFC	Set of 4 half spigot with screw for Dado	22,80
4 FP30	Universal 29 cm truss floor plate	81,23
6 QX30SC-00019	ST 29 cm. square - Circle 30° Section ext. diam cm. 1200	776,63
8 RAH157M3P	Brace w/clamps - 157,30cm long	99,75
6 HIT001AR	Arc's inclination system	440,33
5 HRSH20SET	Rubberband, 20 pcs set	44,18
1 HSA0604W	PVC white cover for 6x4 arc roof	941,21
1 TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68
The hardware and ballast set for the Arc Roof 6x4m is composed of:		1802,45
4 RGSW1300	10mm. Steel wire - 1 ton - 3 meter long	26,00
2 RGSW1600	10mm. Steel wire - 1 ton - 6 meter long	33,00
12 RGSS202	2 ton. Soft steel sling - 1 meter EWL	46,00
24 RGS325C	8 pcs. set of CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
6 RGBRT25002H	Pull lash strap - 2ton - 2m w/swivel hook	22,00
6 RGLCH085402	Load Chain 8mm L=2m	25,65
1 HRSABK01	Hardware ballast kit for Arc Roof (4 pcs)	578,55

Arc roof system

Size 8x6 m

Height 4,80m

CODE	ARC ROOF 8X6	
The 8x6 m Arc Roof system is composed of:		15285,98
4 QX30S350	ST 29 cm. square - cm. 350 reinforced truss	302,81
4 QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
6 QX30K8	6 way box corner (8 nodules)	197,36
3 QXFC	Quick connection set for Q Series	28,50
4 QXKFC	Set of 4 half spigot with screw for Dado	22,80
4 FP30	Universal 29 cm truss floor plate	81,23
6 QX30SC-00021	ST 29 cm. square - Circle 30° Section ext. diam cm. 1600	971,85
12 RAH257M3P	Brace w/clamps - 257,30cm long	110,44
6 HIT001AR	Arc's inclination system	440,33
7 HRSH20SET	Rubberband, 20 pcs set	44,18
1 HSA0806W	PVC white cover for 8x6 arc roof	1330,95
1 TZ30K01	Assembly tool for half-spigot in 25&29 cm side truss	15,68
The hardware and ballast set for the Arc Roof 8x6m is composed of:		1968,41
4 RGSW1300	10mm. Steel wire - 1 ton - 3 meter long	26,00
2 RGSW1600	10mm. Steel wire - 1 ton - 6 meter long	33,00
12 RGSS202	2 ton. Soft steel sling - 1 meter EWL	46,00
24 RGS325C	8 pcs. set of CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
6 RGBRT25004H	Pull lash strap - 2ton - 4m w/swivel hook	29,00
6 RGLCH085404	Load Chain 8mm L=4m	46,31
1 HRSABK01	Hardware ballast kit for Arc Roof (4 pcs)	578,55



TRUSSING

General Purpose 2012

Double Pitch Roof System

Size 8x6 m

Height 5,85m

CODE

DOUBLE PITCH 8X6 ROOF SYSTEM

Main grid composed of:			15583,80
6	QX40S300	ST 40 cm. square - cm. 300 reinforced truss	362,66
4	QX40S200	ST 40 cm. square - cm. 200 reinforced truss	282,15
8	QX40S150	ST 40 cm. square - cm. 150 reinforced truss	245,81
2	QX40S050	ST 40 cm. square - cm. 50 reinforced truss	185,25
2	QX40ST3	ST 40 cm. square - 3 way tee	352,69
19	QXFC	Quick connection set for Q Series	28,50
4	QXKFC	Set of 4 half spigot with screw for Dado	22,80
16	HFX30STER	Terminal FX30 w/hook	118,99
2	QX40K8	6 way box corner (8 nodules)	315,64
2	HKR	2 ways roof's pitch kit for Dado	584,25
4	HQX40STER	ST40S gable truss for ST roof	585,68
8	FX30S250	ST 29 cm. flat - cm. 250 truss	115,43
16	FXFC	Quick connection set for F Series	14,96
24	C482LI	LP Eye coupler double swivel	35,63
8	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
2	RAB506	Aluminium pipe cm. 300 with bushes	79,80
2	RAB507	Aluminium pipe cm. 200 with bushes	69,83
2	RAB575	Aluminium pipe cm. 96,30 with bushes	59,14
4	C473LI	MP Eye coupler + Litec half spigot	21,38
Ground support System composed of:			13013,10
4	TL3Q30	Towerlift 3 module base 1,5 mt. with winch	1453,50
4	TLU30TW	Towerlift 3 top	207,34
8	QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
8	QXFC	Quick connection set for Q Series	28,50
4	QXICU	Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
4	TLU30SR1	30 cm tower - Universal Sleeve block for roof system	913,43
Canopy set composed of:			2718,80
1	HSP0806W	PVC white cover for 8x6 double pitch roof	2084,06
4	HTUBE300	300 cm. tube for sheet border	30,64
4	HTUBE300J	300 cm. joint tube for sheet border	48,45
2	HTUBE200J	200 cm. joint tube for sheet border	39,19
20	RGBR23502G	Belt ratchet - Ring - 2 ton. - 35mm.- EWL 2m	12,00



TRUSSING

General Purpose 2012

Double Pitch Roof System

Size 8x6 m

Height 5,85m

CODE	DOUBLE PITCH 8X6 ROOF SYSTEM	
Hardware set composed of:		3309,70
¹⁰ RGSW2600	14mm. Steel wire - 2 ton. - 6 meter long	47,00
²⁰ RGSS202	2 ton. Soft steel sling - 1 meter EWL	46,00
8 RGS325C	8 pcs. set of CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
4 RGBRT25002H	Pull lash strap - 2ton - 2m w/swivel hook	22,00
4 RGLCH085402	Load Chain 8mm L=2m	25,65
4 RGSS204	2 ton. Soft steel sling - 2 meter EWL	79,00
4 RGSW2300	14mm. Steel wire - 2 ton. - 3 meter long	35,00
4 RGSS206	2 ton. Soft steel sling - 3 meter EWL	112,00
¹⁰ RGBRT25004H	Pull lash strap - 2ton - 4m w/swivel hook	29,00
¹⁰ RGLCH085404	Load Chain 8mm L=4m	46,31
PA wings set composed of:		6991,00
2 TL3Q30	Towerlift 3 module base 1,5 mt. with winch	1453,50
2 TLU30TW	Towerlift 3 top	207,34
2 TLU30S	30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
4 QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
4 QXFC	Quick connection set for Q Series	28,50
2 QXICU	Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
2 QX40S250	ST 40 cm. square - cm. 250 reinforced truss	330,60
2 C040	Bar hook for 40 cm. truss	86,93
3 RGS325C	CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
2 RA200	Reinforcement arm cm. 200	126,83



TRUSSING

General Purpose 2012

Double Pitch Roof System

Size 10x8 m

Height 5,85m

CODE		DOUBLE PITCH 10X8 ROOF SYSTEM	
Main grid composed of:			19665,00
6	QX40S300	ST 40 cm. square - cm. 300 reinforced truss	362,66
8	QX40S250	ST 40 cm. square - cm. 250 reinforced truss	330,60
7	QX40S200	ST 40 cm. square - cm. 200 reinforced truss	282,15
2	QX40S050	ST 40 cm. square - cm. 50 reinforced truss	185,25
2	QX40S025	ST 40 cm. square - cm. 25 reinforced truss	144,64
2	QX40ST3	ST 40 cm. square - 3 way tee	352,69
27	QXFC	Quick connection set for Q Series	28,50
4	QXKFC	Set of 4 half spigot with screw for Dado	22,80
2	QX40K8	6 way box corner (8 nodules)	315,64
2	HKR	2 ways roof's pitch kit for Dado	584,25
4	HQX40STER	ST40S gable truss for ST roof	585,68
20	HFX30STER	Terminal FX30 w/hook	118,99
10	FX30S250	ST 29 cm. flat - cm. 250 truss	115,43
10	FX30S103	ST 29 cm. flat - cm. 103 truss	91,20
30	FXFC	Quick connection set for F Series	14,96
26	C482LI	LP Eye coupler double swivel	35,63
8	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
2	RAB506	Aluminium pipe cm. 300 with bushes	79,80
4	RAB507	Aluminium pipe cm. 200 with bushes	69,83
2	RAB575	Aluminium pipe cm. 96,30 with bushes	59,14
4	C473LI	MP Eye coupler + Litec half spigot	21,38
Ground support System composed of:			13070,10
4	TL3Q30	Towerlift 3 module base 1,5 mt. with winch	1453,50
4	TLU30TW	Towerlift 3 top	207,34
8	QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
10	QXFC	Quick connection set for Q Series	28,50
4	QXICU	Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
4	TLU30SR1	30 cm tower - Universal Sleeve block for roof system	913,43
Canopy set composed of:			3780,53
1	HSP1008W	PVC white cover for 10x8 double pitch roof	2904,15
4	HTUBE300	300 cm. tube for sheet border	30,64
4	HTUBE300J	300 cm. joint tube for sheet border	48,45
6	HTUBE200J	200 cm. joint tube for sheet border	39,19
24	RGBR23502G	Belt ratchet - Ring - 2 ton. - 35mm.- EWL 2m	



TRUSSING

General Purpose 2012

Double Pitch Roof System

Size 10x8 m

Height 5,85m

CODE	DOUBLE PITCH 10X8 ROOF SYSTEM	
Hardware set composed of:		3401,02
8 RGSW2600	14mm. Steel wire - 2 ton. - 6 meter long	47,00
2 RGSW21000	14mm. Steel wire - 2 ton. - 10 meter long	65,00
20 RGSS202	2 ton. Soft steel sling - 1 meter EWL	46,00
8 RGS325C	8 pcs. set of CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
2 RGBRT25002H	Pull lash strap - 2ton - 2m w/swivel hook	22,00
2 RGLCH085402	Load Chain 8mm L=2m	25,65
4 RGSS204	2 ton. Soft steel sling - 2 meter EWL	79,00
4 RGSW2300	14mm. Steel wire - 2 ton. - 3 meter long	35,00
4 RGSS206	2 ton. Soft steel sling - 3 meter EWL	112,00
12 RGBRT25004H	Pull lash strap - 2ton - 4m w/swivel hook	29,00
12 RGLCH085404	Load Chain 8mm L=4m	46,31
PA wings set composed of:		6991,00
2 TL3Q30	Towerlift 3 module base 1,5 mt. with winch	1453,50
2 TLU30TW	Towerlift 3 top	207,34
2 TLU30S	30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
4 QX30S250	ST 29 cm. square - cm. 250 reinforced truss	233,70
4 QXFC	Quick connection set for Q Series	28,50
2 QXICU	Set of 4 aluminium jointed spigot for "X" and "D" truss	154,61
2 QX40S250	ST 40 cm. square - cm. 250 reinforced truss	330,60
2 C040	Bar hook for 40 cm. truss	86,93
3 RGS325C	CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
2 RA200	Reinforcement arm cm. 200	126,83



TRUSSING

General Purpose 2012

Double Pitch Roof System

Size 12x10 m

Height 7m

CODE

DOUBLE PITCH 12X10 ROOF SYSTEM

Main Grid composed of:			26111,70
8	QD40S350A	HD 40 cm. square - cm. 350 twist resist. reinforced truss	594,94
6	QD40S300A	HD 40 cm. square - cm. 300 twist resist. reinforced truss	521,55
10	QD40S200A	HD 40 cm. square - cm. 200 twist resist. reinforced truss	399,71
2	QD40S100A	HD 40 cm. square - cm. 100 twist resist. reinforced truss	282,15
2	QD40ST3	HD 40 cm. square - 3 way tee	366,94
27	QXFC	Quick connection set for Q Series	28,50
4	QXKFC	Set of 4 half spigot with screw for Dado	22,80
2	QX40K8	6 way box corner (8 nodules)	315,64
2	HKR	2 ways roof's pitch kit for Dado	584,25
4	HQX40STER	ST40S gable truss for ST roof	585,68
24	HFX30STER	Terminal FX30 w/hook	118,99
12	FX30S250	ST 29 cm. flat - cm. 250 truss	115,43
12	FX30S206	ST 29 cm. flat - cm. 206 truss	118,99
36	FXFC	Quick connection set for F Series	14,96
28	C482LI	LP Eye coupler double swivel	35,63
8	KHLP	Cylindrical pin + safety R-clip 3mm.	4,63
6	RAB506	Aluminium pipe cm. 300 with bushes	79,80
2	RAB575	Aluminium pipe cm. 96,30 with bushes	59,14
4	C473LI	MP Eye coupler + Litec half spigot	21,38
Ground support System composed of:			17513,25
4	TLV2Q30	Aluminium Base incl. 1 QD30100A and hinge set QXICU	1161,38
16	TLV40F	Varitower 2 stabilizer	218,74
4	TLV30T	Universal Large Top - 30 series Towers - 4 pulley position	280,73
4	QD30S300A	HD 29 cm. square - cm. 300 twist resistant truss	443,89
4	QD30S350A	HD 29 cm. square - cm. 350 twist resistant truss	502,31
8	QXFC	Quick connection set for Q Series	28,50
4	TLU30SR1	30 cm tower - Universal Sleeve block for roof system	913,43
4	TLU30MS	Hoist support for Universal Sleeve Block 30	144,64
Canopy set composed of:			5146,33
1	HSP1210W	PVC white cover for 12x10 double pitch roof	4167,41
4	HTUBE300	300 cm. tube for sheet border	30,64
8	HTUBE300J	300 cm. joint tube for sheet border	48,45
4	HTUBE200J	200 cm. joint tube for sheet border	39,19
26	RGBR23502G	Belt ratchet - Ring - 2 ton. - 35mm.- EWL 2m	12,00



TRUSSING

General Purpose 2012

Double Pitch Roof System **CODE**

Size 12x10 m

Height 7m

Hardware set composed of:			3873,74
2	RGSW21200	14mm. Steel wire - 2 ton. - 12 meter long	76,00
8	RGSW21000	14mm. Steel wire - 2 ton. - 10 meter long	65,00
20	RGSS202	2 ton. Soft steel sling - 1 meter EWL	46,00
56	RGSH325C	8 pcs. set of CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
10	RGBRT25002H	Pull lash strap - 2ton - 2m w/swivel hook	22,00
10	RGLCH085402	Load Chain 8mm L=2m	25,65
4	RGSS204	2 ton. Soft steel sling - 2 meter EWL	79,00
8	RGSH475C	8 pcs. set of CM Shackle - 3/4" - 4,75 ton. - screw pin type	12,00
4	RGSW2300	14mm. Steel wire - 2 ton. - 3 meter long	35,00
4	RGSS206	2 ton. Soft steel sling - 3 meter EWL	112,00
4	RGBRT25004H	Pull lash strap - 2ton - 4m w/swivel hook	29,00
4	RGLCH085404	Load Chain 8mm L=4m	46,31
PA wings set composed of:			9644,38
2	TLV2Q30	Aluminium Base incl. 1 QD30100A and hinge set QXICU	1161,38
8	TLV40F	Varitower 2 stabilizer	218,74
2	TLU30S	30 cm tower - Universal Sleeve block for 25/29 and 40cm truss	597,79
2	TLU30MS	Hoist support for Universal Sleeve Block 30	144,64
2	TLV30T	Universal Large Top - 30 series Towers - 4 pulley position	280,73
2	QD30S300A	HD 29 cm. square - cm. 300 twist resistant truss	443,89
2	QD30S350A	HD 29 cm. square - cm. 350 twist resistant truss	502,31
4	QXFC	Quick connection set for Q Series	28,50
2	QD40S300A	HD 40 cm. square - cm. 300 twist resist. reinforced truss	521,55
2	C040	Bar hook for 40 cm. truss	86,93
3	RGSH325C	CM Shackle - 5/8" - 3,25 ton. - screw pin type	9,00
2	RA300	Reinforcement arm cm. 300	137,51



TRUSSING

General Purpose 2012

Lifter

Height 5,85m

Payload 180kg.

CODE	WINCHER	
LI5025	Wincher stand mt. 5,85	1676,51
C4485LI	LP coupler truss support for 25/29 cm. Series	74,81
C4486LI	LP coupler truss support for 25/40 cm. Series	78,38

Clamps and accessories

Eve Couplers 50mm LP

CODE	CLAMPS AND ACCESSORIES	
C460LI	LP Eye coupler single	17,81
C464LI	LP Eye coupler single + M12 bolt and nut	18,53
C482LI	LP Eye coupler double swivel	35,63
C463LI	LP Eye coupler + lifting eye	19,95
C470LI	LP Eye coupler + Litec half spigot	22,09
C475LI	LP Eye coupler + Litec fork connector	42,04
C466	LP connection kit for C460	6,06

Eve Couplers 50mm MP

C4464LI	MP Eye coupler + M12 bolt and nut	18,53
C4460LI	MP Eye coupler single	17,81
C473LI	MP Eye coupler + Litec half spigot	21,38

Eve Couplers 30mm MP

C4560LI	MP slim Eye coupler single	15,68
C472LI	MP slim Eye coupler + Litec half spigot	21,38

Safety bonds

SC60	Safety cable with clip, 60 cm. long	4,99
------	-------------------------------------	------

Cablecross Series

Standard

CODE	STANDARD CABLECROSS	
CC30XT	Cablecross 30, rubber and polypropylene cable guard	121,84
CC30LXT	Cover for CC30XT (spare part)	34,91

Cablecross Series

Heavy Duty

CODE	HEAVY DUTY CABLECROSS	
CC33HD	Cablecross 33, High Density polyurethane	228,00
CC33HDC	Cablecross 33, 4 way cross module	210,19
CC33LHD	Cover for CC33HD (spare part)	75,53

Cablecross Series

Mini heavy Duty

CODE	HEAVY DUTY MINI CABLECROSS	
CC20HD	Cablecross 20, polyurethane cable guard	102,60
CC20HDC	Cablecross 20, 4 way cross module	94,76
CC20HDS	Cablecross 20, 4 way cable exit	64,13
CC20LHD	Cover for CC20HD (spare part)	17,81
CC20LHDC	Cover for CC20HDC (spare part)	21,38
CC20LHDS	Cover for CC20HDS (spare part)	6,06